



5/7




SER NO.: 10061,701
DKT. NO.: SAGE-25,553


BETHOD AND APPARATUS FOR
METHOD AND APPARATUS FOR
METHOMENTING PROCESS-BASED SECURITY IN
A COMPUTER SYSTEM


INVENTORS: Vincent Alan Larsen






7/7





+					<u> </u>	-	<u> </u>		<u> </u>			ļ	<u> </u>				<u> </u>	1	-	1	<u> </u>		<u> </u>	Ĺ.	
-				+F] 90	te 1	3		-					-			<u> </u>	ļ	-	-	_	-		<u> </u>	. <u>.</u> .
				-	├	 							_				-	-	-	<u> </u>	_	_	ļ	ļ	 -
	User/Client		_	-	Pro	cess	wı	th_	-				_	_				جما	01	_		_		<u></u>	· ·
				-		thent									M	2d	le	<u> </u>							
			-	-	LI	OG	IN.	EX	E)								_							<u> </u>	
													I									_	-	-	•
	Initiate																								7
330	Authentication	<u>,</u> n		\geq	_	Re	CIVE	st	Rar	den	Ω	332													,
						N	mt	er	CR	2)		/	+	-		7-P.Y	er/	te	R	7	3:	34		ļ	
																									
344	Enter Usern	ame,													N	100	r.C.	P	000	35 ′	3	36			
	Password												1		7	اء	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		etu	33_	-				-
													\top		-4	<u> </u>		110			 	1-	 		<u>;</u> .
								-					1		1			RN	+-	-	33	38	 	-	; ;
				1						Ì			1			10	٤	72		-	00	0	-		- بيو، :
				1							-		+	+-			1	0.	1	-	211	5.	 		»
				1									#	#		Dei	nd	RI	7	-	7	\vdash	-		<u>.</u>
3.41	Crenerate H			<u> </u>					-	_	\neg		\dagger					-	\vdash			-	l ·		
344	1 1 1 1 1	1 1		T	 					\dashv	-		+	+ -			_	-	 	-		-	-		÷
+-+-	(Password +	\sim		-	-								+	+				<u> </u>	-	-		-	-		. ; .
+-+-		$\rightarrow + +$		+-	-								\dashv	+				 	 -	-					
346	Send Userr	iame,											4	-	_			-	ļ	ļ		ļ			-
+	Hash			-			\Rightarrow			\dashv			-	+					-			<u> </u>			
+			+							\dashv	\dashv		7	+-	>			,	ì	ess'	!	,	34	8	
							-						4							R	ndi				
+		\rightarrow		-						\longrightarrow			1	1 1	1	A	ethe	nt	eat	en		را			: }-
			#							_			1	1 1											:
																Re	tri	eve	R	N			350	2	
													1												
										.						Re	trie	ve '	Pas	swo	rd		35	2	:
																							am	e	:
1-1-													\int												
																78	Nerr	to	Ho	ch			350	Į.	;
													1				1	1	Ī	W)				}	
												•	1				۷۰ د پست	2,0				 			;
													7				~ ~	r-	1-	1. 1		,,,	3		<u>.</u>
												_	1			۲۷	rho	I.E.	170:	\n_\	<u> ۱</u>	ves	-5	اهاد	; :
										1			+	++	+	, l					-	1			
								-		_			+	+	-					55'	۵	sk	35	2)	:
		+	+	\vdash						-		\dashv	+	++	\dashv	2	ruc	tur	<u>e_</u>	-		-			-
+			-						3	72			+	+-+				<u> </u>	<u> </u>	-		-			*
		1 1	- 1	1		+ 4	seri	=		\rightarrow			1	1_1			o fin	m	(Aut)	ent	זכמ:	hor		·	:
		11			1	}	- 1	- 1	- 1	1.	·			1				i	1	1		ł	j 2	'. A	
					1	29	- 1	۸۹					#		_	5e	tu	ser	= 1	/sei	10	m	. 3	60	: :



						+
					Fig. 15	
		Key Exc	haras			
		rieg che	range			
	Client			Serve	•	
				1		
374	Request Key Ex	change				
375		: () () (
29	Enter Passwor	d (pu)	1	Modify To	sk Structure	376
7			3			ì
			1	Generate	RN1	378
				send RNI		380
				D		
382	Calculate hash		- /	Ketrieve re	assword (Pwi with userna	382
704	H/FW RN1		0	BUCID TEG	with Userna	me
				alculate	hash	384
				H(PW, RA		707
386	Key 1= H(PW	RNI)		Key 1 = H	(PW,RNI)	398
				Jenerate	RN2	390
				Send RNZ		392
						704
304	calculate has	h		Calculati H(PW, F	PAIS	396
	H(PW, RNZ			1147 47, 3	204	+++
		•		Key Z = L	I(PW RNZ)	398
400	Key Z= H(PW	RN2)				
				Modify Tas	k Structure	402
						+ + -
				+		++++

